


External Grooving and Parting Stechdrehwerkzeuge (Außen)




AGHGR




Code No	h	b	L	h1	f	w	ØD	T	Inserts Platten	Screw Schraube	Tightening Torque Anzugsmoment
AGHGR 2020K 2D35	20	20	125	20	20.4	2	35	-	GIP - 2	M5x0.8-25 mm	max. 3,5 Nm
AGHGR 2525M 2D35	25	25	150	25	25.4	2	35	-	GIP - 2	M5x0.8-25 mm	max. 3,5 Nm
AGHGR 2020K 3D40	20	20	125	20	20.25	3	40	-	GIP - 3	M5x0.8-25 mm	max. 5,5 Nm
AGHGR 2525M 3D40	25	25	150	25	25.25	3	40	-	GIP - 3	M5x0.8-25 mm	max. 5,5 Nm

ADGR




Code No	h	b	L	h1	f	w	ØD	T	Inserts Platten	Screw Schraube	Tightening Torque Anzugsmoment
ADGR-L 1212 2D32	12	12	140	12	12.2	2	32	-	DGN - 2	M5x0.8-16 mm	max. 3,5 Nm
ADGR-L 1616 2D32	16	16	140	16	16.2	2	32	-	DGN - 2	M5x0.8-16 mm	max. 3,5 Nm
ADGR-L 2020 2D35	20	20	140	20	20.2	2	35	-	DGN - 2	M5x0.8-25 mm	max. 3,5 Nm
ADGR-L 2525 2D35	25	25	140	25	25.2	2	35	-	DGN - 2	M5x0.8-25 mm	max. 3,5 Nm
ADGR-L 1212 3D35	12	12	140	12	12.35	3	35	-	DGN - 3	M5x0.8-16 mm	max. 5,5 Nm
ADGR-L 1616 3D35	16	16	140	16	16.35	3	35	-	DGN - 3	M5x0.8-16 mm	max. 5,5 Nm
ADGR-L 2020 3D40	20	20	140	20	20.35	3	40	-	DGN - 3	M5x0.8-25 mm	max. 5,5 Nm
ADGR-L 2525 3D40	25	25	140	25	25.35	3	40	-	DGN - 3	M5x0.8-25 mm	max. 5,5 Nm

EGPR-S123




Code No	h	b	L	h1	f	w	ØD	T	Inserts Platten	Screw Schraube	Tightening Torque Anzugsmoment
EGPR-L 2020K 2D40-S123	20	20	125	20	20.25	2	40	20.5	S123 - 2	M5x0.8-25 mm	max. 3,5 Nm
EGPR-L 2525M 2D40-S123	25	25	150	25	25.25	2	40	20.5	S123 - 2	M5x0.8-25 mm	max. 3,5 Nm
EGPR-L 2020K 3D40-S123	20	20	125	20	20.4	3	40	20.5	S123 - 3	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 3D40-S123	25	25	150	25	25.4	3	40	20.5	S123 - 3	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2020K 4D50-S123	20	20	125	20	20.45	4	50	26	S123 - 4	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 4D50-S123	25	25	150	25	25.45	4	50	26	S123 - 4	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2020K 5D64-S123	20	20	125	20	20.45	5	64	32.5	S123 - 5	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 5D64-S123	25	25	150	25	25.45	5	64	32.5	S123 - 5	M5x0.8-25 mm	max. 5,5 Nm

EGPR-S151




Code No	h	b	L	h1	f	w	ØD	T	Inserts Platten	Screw Schraube	Tightening Torque Anzugsmoment
EGPR-L 1616H 3D20-S151	16	16	100	16	16.3	3	20	11.5	N151.2.300	M4x0.7-20 mm	max. 3,5 Nm
EGPR-L 2020K 3D20-S151	20	20	125	20	20.3	3	20	11.5	N151.2.300	M4x0.7-20 mm	max. 3,5 Nm
EGPR-L 2020K 3D40-S151	20	20	125	20	20.3	3	40	20.5	N151.2.300	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 3D40-S151	25	25	150	25	25.3	3	40	20.5	N151.2.300	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2020K 4D50-S151	20	20	125	20	20.3	4	50	25.5	N151.2.400	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 4D50-S151	25	25	150	25	25.3	4	50	25.5	N151.2.400	M5x0.8-25 mm	max. 5,5 Nm

EGPR-M




Code No	h	b	L	h1	f	w	ØD	T	Inserts Platten	Screw Schraube	Tightening Torque Anzugsmoment
EGPR-L 1212K 2D35-M	12	12	125	12	12.2	2	35	-	G - 2	M5x0.8-16 mm	max. 3,5 Nm
EGPR-L 1616K 2D35-M	16	16	125	16	16.2	2	35	-	G - 2	M5x0.8-16 mm	max. 3,5 Nm
EGPR-L 2020K 2D35-M	20	20	125	20	20.2	2	35	-	G - 2	M5x0.8-25 mm	max. 3,5 Nm
EGPR-L 2525M 2D35-M	25	25	150	25	25.2	2	35	-	G - 2	M5x0.8-25 mm	max. 3,5 Nm
EGPR-L 1212K 3D40-M	12	12	125	12	12.4	3	40	-	G - 3	M5x0.8-16 mm	max. 5,5 Nm
EGPR-L 1616K 3D40-M	16	16	125	16	16.4	3	40	-	G - 3	M5x0.8-16 mm	max. 5,5 Nm
EGPR-L 2020K 3D40-M	20	20	125	20	20.4	3	40	-	G - 3	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 3D40-M	25	25	150	25	25.4	3	40	-	G - 3	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2020K 4D50-M	20	20	125	20	20.4	4	50	25.5	G - 4	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 4D50-M	25	25	150	25	25.4	4	50	25.5	G - 4	M5x0.8-25 mm	max. 5,5 Nm

EGPR-HS




Code No	h	b	L	h1	f	w	ØD	T	Inserts Platten	Screw Schraube	Tightening Torque Anzugsmoment
EGPR-L 2020M 2D40-HS	20	20	150	20	20.15	2	40	-	29 - 2	M5x0.8-25 mm	max. 3,5 Nm
EGPR-L 2525M 2D40-HS	25	25	150	25	25.15	2	40	-	29 - 2	M5x0.8-25 mm	max. 3,5 Nm
EGPR-L 2020M 3D50-HS	20	20	150	20	20.25	3	50	-	29 - 3	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 3D50-HS	25	25	150	25	25.25	3	50	-	29 - 3	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2020M 4D50-HS	20	20	150	20	20.35	4	50	-	29 - 4	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 4D50-HS	25	25	150	25	25.35	4	50	-	29 - 4	M5x0.8-25 mm	max. 5,5 Nm

EGPR-WT




Code No	h	b	L	h1	f	w	ØD	T	Inserts Platten	Screw Schraube	Tightening Torque Anzugsmoment
EGPR-L 2020K 3D45-WT	20	20	125	20	20.4	3	45	-	GX24-3	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 3D45-WT	25	25	150	25	25.4	3	45	-	GX24-3	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2020K 4D45-WT	20	20	125	20	20.4	4	45	-	GX24-4	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 4D45-WT	25	25	150	25	25.4	4	45	-	GX24-4	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2020K 5D45-WT	20	20	125	20	20.5	5	45	-	GX24-5	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 5D45-WT	25	25	150	25	25.5	5	45	-	GX24-5	M5x0.8-25 mm	max. 5,5 Nm

EGPR-GX16




Code No	h	b	L	h1	f	w	ØD	T	Inserts Platten	Screw Schraube	Tightening Torque Anzugsmoment
EGPR-L 1616K 2D32-GX16	16	16	125	16	16.3	2	32	-	GX16-2	M5x0.8-25 mm	max. 3,5 Nm
EGPR-L 2020K 2D32-GX16	20	20	125	20	20.3	2	32	-	GX16-2	M5x0.8-25 mm	max. 3,5 Nm
EGPR-L 2525M 2D32-GX16	25	25	150	25	25.3	2	32	-	GX16-2	M5x0.8-25 mm	max. 3,5 Nm

EGPR-T3




Code No	h	b	L	h1	f	w	ØD	T	Inserts Platten	Screw Schraube	Tightening Torque Anzugsmoment
EGPR-L 1616K 2D35-T3	16	16	125	16	16.2	2	35	-	T3 - 2	M5x0.8-25 mm	max. 3,5 Nm
EGPR-L 2020K 2D35-T3	20	20	125	20	20.2	2	35	-	T3 - 2	M5x0.8-25 mm	max. 3,5 Nm
EGPR-L 2525M 2D35-T3	25	25	150	25	25.2	2	35	-	T3 - 2	M5x0.8-25 mm	max. 3,5 Nm
EGPR-L 1616K 3D40-T3	16	16	125	16	16.35	3	40	-	T3 - 3	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2020K 3D40-T3	20	20	125	20	20.35	3	40	-	T3 - 3	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 3D40-T3	25	25	150	25	25.35	3	40	-	T3 - 3	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2020K 4D50-T3	20	20	125	20	20.5	4	50	-	T3 - 4	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 4D50-T3	25	25	150	25	25.5	4	50	-	T3 - 4	M5x0.8-25 mm	max. 5,5 Nm

AKGMR




Code No	h	b	L	h1	f	w	ØD	T	Inserts Platten	Screw Schraube	Tightening Torque Anzugsmoment
AKGMR-L 2020K 2D35	20	20	125	20	20.2	2	35	-	GM - 2	M5x0.8-25 mm	max. 3,5 Nm
AKGMR-L 2525M 2D35	25	25	150	25	25.2	2	35	-	GM - 2	M5x0.8-25 mm	max. 3,5 Nm
AKGMR-L 2020K 3D40	20	20	125	20	20.35	3	40	-	GM - 3	M5x0.8-25 mm	max. 5,5 Nm
AKGMR-L 2525M 3D40	25	25	150	25	25.35	3	40	-	GM - 3	M5x0.8-25 mm	max. 5,5 Nm
AKGMR-L 2020K 4D50	20	20	125	20	20.35	4	50	-	GM - 4	M5x0.8-25 mm	max. 5,5 Nm
AKGMR-L 2525M 4D50	25	25	150	25	25.35	4	50	-	GM - 4	M5x0.8-25 mm	max. 5,5 Nm
AKGMR-L 3232P 4D60	32	32	170	32	32.35	4	60	-	GM - 4	M5x0.8-25 mm	max. 5,5 Nm

EGPR-X3




Code No	h	b	L	h1	f	w	ØD	T	Inserts Platten	Screw Schraube	Tightening Torque Anzugsmoment
EGPR-L 1616K 2D35-X3	16	16	125	16	16.3	2	35	18.5	A4 - 2	M5x0.8-25 mm	max. 3,5 Nm
EGPR-L 2020K 2D35-X3	20	20	125	20	20.3	2	35	18.5	A4 - 2	M5x0.8-25 mm	max. 3,5 Nm
EGPR-L 2525M 2D35-X3	25	25	150	25	25.3	2	35	18.5	A4 - 2	M5x0.8-25 mm	max. 3,5 Nm
EGPR-L 1616K 3D35-X3	16	16	125	16	16.35	3	35	18.5	A4 - 3	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2020K 3D35-X3	20	20	125	20	20.35	3	35	18.5	A4 - 3	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 3D35-X3	25	25	150	25	25.35	3	35	18.5	A4 - 3	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2020K 4D35-X3	20	20	125	20	20.35	4	35	18.5	A4 - 4	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 4D35-X3	25	25	150	25	25.35	4	35	18.5	A4 - 4	M5x0.8-25 mm	max. 5,5 Nm

EGPR-KN2




Code No	h	b	L	h1	f	w	ØD	T	Inserts Platten	Screw Schraube	Tightening Torque Anzugsmoment
EGPR-L 2020K 3D32-KN2	20	20	125	20	20.3	3	32	-	A2-3	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 3D32-KN2	25	25	150	25	25.3	3	32	-	A2-3	M5x0.8-25 mm	max. 5,5 Nm

EGPR-LM



Code No	h	b	L	h1	f	w	Ø D	T	Inserts Platten	Screw Schraube	Tightening Torque Anzugsmoment
EGPR-L 1212K 2D40-LM	12	12	125	12	12.2	2	40	20.5	GCTX - 2	M5x0.8-20 mm	max. 3,5 Nm
EGPR-L 1616K 2D40-LM	16	16	125	16	16.2	2	40	20.5	GCTX - 2	M5x0.8-20 mm	max. 3,5 Nm
EGPR-L 2020K 2D40-LM	20	20	125	20	20.2	2	40	20.5	GCTX - 2	M5x0.8-25 mm	max. 3,5 Nm
EGPR-L 2525M 2D40-LM	25	25	150	25	25.2	2	40	20.5	GCTX - 2	M5x0.8-25 mm	max. 3,5 Nm
EGPR-L 1616K 3D40-LM	16	16	125	16	16.3	3	40	20.5	GCTX - 3	M5x0.8-20 mm	max. 5,5 Nm
EGPR-L 2020K 3D40-LM	20	20	125	20	20.3	3	40	20.5	GCTX - 3	M5x0.8-25 mm	max. 5,5 Nm
EGPR-L 2525M 3D40-LM	25	25	150	25	25.3	3	40	20.5	GCTX - 3	M5x0.8-25 mm	max. 5,5 Nm


EGPR-KR



Code No	h	b	L	h1	f	w	Ø D	T	Inserts Platten	Screw Schraube	Tightening Torque Anzugsmoment
EGPR 1010K 2D20-KR	10	10	125	10	10.2	2	20	-	MGM - 2	M4x0.7-15 mm	max. 3,5 Nm
EGPR 1212K 2D25-KR	12	12	125	12	12.2	2	25	-	MGM - 2	M4x0.7-15 mm	max. 3,5 Nm
EGPR 1616K 2D30-KR	16	16	125	16	16.2	2	30	15.5	MGM - 2	M5x0.8-15 mm	max. 5,5 Nm
EGPR 2020K 2D30-KR	20	20	125	20	20.2	2	30	15.5	MGM - 2	M5x0.8-25 mm	max. 5,5 Nm
EGPR 2525M 2D30-KR	25	25	150	25	25.2	2	30	15.5	MGM - 2	M5x0.8-25 mm	max. 5,5 Nm
EGPR 1616K 3D40-KR	16	16	125	16	16.3	3	40	20.5	MGM - 3	M5x0.8-15 mm	max. 5,5 Nm
EGPR 2020K 3D40-KR	20	20	125	20	20.3	3	40	20.5	MGM - 3	M5x0.8-25 mm	max. 5,5 Nm
EGPR 2525M 3D40-KR	25	25	150	25	25.3	3	40	20.5	MGM - 3	M5x0.8-25 mm	max. 5,5 Nm
EGPR 3232P 3D40-KR	32	32	170	32	32.3	3	40	20.5	MGM - 3	M5x0.8-25 mm	max. 5,5 Nm
EGPR 2020K 4D40-KR	20	20	125	20	20.35	4	40	20.5	MGM - 4	M5x0.8-25 mm	max. 5,5 Nm
EGPR 2525M 4D40-KR	25	25	150	25	25.35	4	40	20.5	MGM - 4	M5x0.8-25 mm	max. 5,5 Nm
EGPR 3232P 4D40-KR	32	32	170	32	32.35	4	40	20.5	MGM - 4	M5x0.8-25 mm	max. 5,5 Nm
EGPR 2020K 5D45-KR	20	20	125	20	20.4	5	47	24	MGM - 5	M5x0.8-25 mm	max. 5,5 Nm
EGPR 2525M 5D45-KR	25	25	150	25	25.4	5	47	24	MGM - 5	M5x0.8-25 mm	max. 5,5 Nm
EGPR 3232P 5D45-KR	32	32	170	32	32.4	5	47	24	MGM - 5	M5x0.8-25 mm	max. 5,5 Nm


PKLG

Tool Blocks
Spannblöcke



NEW-NEU

Code No	H	A	B	L	A1
PKLG 1616 -19	16	16	19	74	28
PKLG 2020 - 26	20	20	26	86	38
PKLG 2525 - 26	25	25	26	100	43
PKLG 2020 - 32	20	20	32	110	40
PKLG 2525 - 32	25	25	32	110	45




Aydosa

Parting Tools Abstechwerkzeuge




KL-S151



Code No	W	L	B	h1	ØD	Inserts Platten
KL 323 - S151	3	150	32	25	100	N151.2-300
KL 324 - S151	4	150	32	25	120	N151.2-400
KL 325 - S151	5	150	32	25	120	N151.2-500

Extractor - Montageschlüssel




LA-1

LA-1


LA-1

KL-PR



Code No	W	L	B	h1	ØD	Inserts Platten
NEW-NEU KL 19-2 PR	2	86	19	15.5	40	LFMX-2.1
NEW-NEU KL 19-3 PR	3	86	19	15.5	40	LFMX-3.1
KL 26-2 PR	2	110	26	21.5	50	LFMX-2.1
KL 26-3 PR	3	110	26	21.5	75	LFMX-3.1
KL 26-4 PR	4	110	26	21.5	80	LFMX-4.1
KL 32-2 PR	2	150	32	25	50	LFMX-2.1
KL 32-3 PR	3	150	32	25	100	LFMX-3.1
KL 32-4 PR	4	150	32	25	100	LFMX-4.1

Extractor - Montageschlüssel



LA-4

LA-4

LA-4

LA-4


LA-4

LA-4

LA-4


LA-4

KL- GTN



Code No	W	L	B	h1	ØD	Inserts Platten
KL 262-GTN	2	110	26	21.5	50	GTN-2
KL 263-GTN	3	110	26	21.5	75	GTN-3
KL 264-GTN	4	110	26	21.5	80	GTN-4
KL 265-GTN	5	110	26	21.5	80	GTN-5
KL 322-GTN	2	150	32	25	50	GTN-2
KL 323-GTN	3	150	32	25	100	GTN-3
KL 324-GTN	4	150	32	25	100	GTN-4
KL 325-GTN	5	150	32	25	120	GTN-5

Extractor - Montageschlüssel



LA-4

LA-4

LA-4

LA-4


LA-4

LA-4

LA-4


LA-4

KL- KGT



Code No	W	L	B	h1	ØD	Inserts Platten
KL 19-2 KGT	2	86	19	15.5	40	KGT-2
KL 19-3 KGT	3	86	19	15.5	40	KGT-3
KL 26-2 KGT	2	110	26	21.5	50	KGT-2
KL 26-3 KGT	3	110	26	21.5	75	KGT-3
KL 26-4 KGT	4	110	26	21.5	80	KGT-4
KL 26-5 KGT	5	110	26	21.5	80	KGT-5
KL 32-2 KGT	2	150	32	25	50	KGT-2
KL 32-3 KGT	3	150	32	25	100	KGT-3
KL 32-4 KGT	4	150	32	25	100	KGT-4
KL 32-5 KGT	5	150	32	25	120	KGT-5

Extractor - Montageschlüssel



LA-4

LA-4

LA-4

LA-4

LA-4

LA-4

LA-4

LA-4


LA-4

LA-4

NEW-NEU

NEW-NEU

KL- LM



Code No	W	L	B	h1	ØD	Inserts Platten
KL 322LM-K5	2	150	32	25	50	GCTX-2
KL 323LM-K5	3	150	32	25	100	GCTX-3


Extractor - Montageschlüssel



LA-5

LA-5

KL- DG



Code No	W	L	B	h1	ØD	Inserts Platten
KL 322DG-K5	2	150	32	25	50	DG-2
KL 323DG-K5	3	150	32	25	100	DG-3


Extractor - Montageschlüssel



LA-5

LA-5

KL- T3



Code No	W	L	B	h1	ØD	Inserts Platten
KL 322T3-K5	2	150	32	25	50	T3 - 2
KL 323T3-K5	3	150	32	25	100	T3 - 3


Extractor - Montageschlüssel



LA-5

LA-5

KL- M



Code No	W	L	B	h1	ØD	Inserts Platten
KL 322M-K5	2	150	32	25	50	G.. -2
KL 323M-K5	3	150	32	25	100	G.. -3
KL 324M-K5	4	150	32	25	120	G.. -4

Extractor - Montageschlüssel



LA-5

LA-5


LA-5

Aydosa

External Face Grooving Axial Stechdrehwerkzeuge (Außen)




EFGR-S123



Code No	h	b	L	h1	f	w	min Ø D	max Ø D	T	Inserts Platten	Screw Schraube	Tightening Torque Anzugsmoment
EFGR 2525M 4D52-72 S123	25	25	150	25	26	4	52	72	20	S123.4	M5x0.8-25 mm	max. 5,5 Nm
EFGR 2525M 4D64-100 S123	25	25	150	25	26	4	64	100	25	S123.4	M5x0.8-25 mm	max. 5,5 Nm
EFGR 2525M 4D92-140 S123	25	25	150	25	26	4	92	140	25	S123.4	M5x0.8-25 mm	max. 5,5 Nm
EFGR 2525M 4D132-230 S123	25	25	150	25	26	4	132	230	25	S123.4	M5x0.8-25 mm	max. 5,5 Nm
EFGR 2525M 4D220-500 S123	25	25	150	25	26	4	220	500	25	S123.4	M5x0.8-25 mm	max. 5,5 Nm

EFGR-WT



Code No	h	b	L	h1	f	w	min Ø D	max Ø D	T	Inserts Platten	Screw Schraube	Tightening Torque Anzugsmoment
EFGR 2525M 4D40-60.WT	25	25	150	25	26	4	40	60	22	GX24	M5x0.8-25 mm	max. 5,5 Nm
EFGR 2525M 4D52-72.WT	25	25	150	25	26	4	52	72	25	GX24	M5x0.8-25 mm	max. 5,5 Nm
EFGR 2525M 4D64-100.WT	25	25	150	25	26	4	64	100	25	GX24	M5x0.8-25 mm	max. 5,5 Nm
EFGR 2525M 4D92-140.WT	25	25	150	25	26	4	92	140	25	GX24	M5x0.8-25 mm	max. 5,5 Nm
EFGR 2525M 4D132-230.WT	25	25	150	25	26	4	132	230	25	GX24	M5x0.8-25 mm	max. 5,5 Nm
EFGR 2525M 4D220-500.WT	25	25	150	25	26	4	220	500	25	GX24	M5x0.8-25 mm	max. 5,5 Nm